



# Programming with Android: Layouts

**Luca Bedogni**

Dipartimento di Informatica: Scienza e Ingegneria  
Università di Bologna

**Marco Di Felice**



# Views: outline

- ❖ Main difference between a Drawable and a View is reaction to events
- ❖ Could be declared in an XML file
- ❖ Could also be declared inside an Activity
- ❖ Every view has a unique ID
- ❖ Use `findViewById(int id)` to get it
- ❖ Views can be customized



# Some useful methods

- ❖ `getLeft()`
- ❖ `getTop()`
- ❖ `getMeasuredWidth()`
- ❖ `getMeasuredHeight()`
- ❖ `getWidth()`
- ❖ `getHeight()`
- ❖ `requestLayout()`
- ❖ `invalidate()`



# ViewGroup and layout

- ❖ ViewGroup is a view container
- ❖ It is responsible for placing other views on the display
- ❖ Every layout must extend a ViewGroup
- ❖ Every view needs to specify:
  - ❖ android:layout\_height
  - ❖ android:layout\_width
  - ❖ A dimension or one of match\_parent or wrap\_content



# Layouts

- ❖ Some layouts are pre-defined by Android
- ❖ Some of these are
  - ❖ LinearLayout
  - ❖ RelativeLayout
  - ❖ TableLayout
  - ❖ FrameLayout
  - ❖ AbsoluteLayout
- ❖ A layout could be declared inside another layout



# LinearLayout

- Dispose views on a single row or column, depending on `android:layout_orientation`
- The orientation could also be declared via `setOrientation(int orientation)`
  - orientation is one of **HORIZONTAL** or **VERTICAL**
- Has two other attributes:
  - **gravity**
  - **weight**



# LinearLayout

```
<?xml version="1.0" encoding="utf-8"?>  
<LinearLayout xmlns:android="http://schemas.android.com/apk/res/android"  
    android:layout_width="fill_parent"  
    android:layout_height="fill_parent"  
    android:orientation="vertical" >          <!-- Also horizontal -->  
  
<Button  
    android:id="@+id/button1"  
    android:layout_width="wrap_content"  
    android:layout_height="wrap_content"  
    android:text="@string/buttonString1" />  
  
<Button  
    android:id="@+id/button2"  
    android:layout_width="wrap_content"  
    android:layout_height="wrap_content"  
    android:text="@string/buttonString2" />  
</LinearLayout>
```



# LinearLayout








# LinearLayout

```
<?xml version="1.0" encoding="utf-8"?>  
<LinearLayout xmlns:android="http://schemas.android.com/apk/res/android"  
    android:layout_width="fill_parent"  
    android:layout_height="fill_parent"  
    android:orientation="vertical" >  
  
    <Button  
        android:id="@+id/button1"  
        android:layout_width="match_parent"  
        android:layout_height="wrap_content"  
        android:text="@string/buttonString1" />  
  
    <Button  
        android:id="@+id/button2"  
        android:layout_width="wrap_content"  
        android:layout_height="match_parent"  
        android:text="@string/buttonString2" />  
</LinearLayout>
```



# LinearLayout







# LinearLayout weight

```
<?xml version="1.0" encoding="utf-8"?>  
<LinearLayout xmlns:android="http://schemas.android.com/apk/res/android"  
    android:layout_width="fill_parent"    android:layout_height="fill_parent"    android:orientation="horizontal" >  
  
    <Button  
        android:id="@+id/button1"  
        android:layout_width="match_parent"  
        android:layout_height="wrap_content"  
        android:text="@string/buttonString1"  
        android:layout_weight="1" />  
  
    <Button  
        android:id="@+id/button2"  
        android:layout_width="match_parent"  
        android:layout_height="wrap_content"  
        android:text="@string/buttonString2"  
        android:layout_weight="2"      />  
</LinearLayout>
```



# LinearLayout weight






# LinearLayout gravity

```
<?xml version="1.0" encoding="utf-8"?>  
<LinearLayout xmlns:android="http://schemas.android.com/apk/res/android"  
    android:layout_width="fill_parent"    android:layout_height="fill_parent"    android:orientation="horizontal" >  
  
    <Button  
        android:id="@+id/button1"  
        android:layout_width="match_parent"    android:layout_height="wrap_content"  
        android:text="@string/buttonString1"  
        android:layout_weight="1" />  
  
    <Button  
        android:id="@+id/button2"  
        android:layout_width="match_parent"    android:layout_height="wrap_content"  
        android:text="@string/buttonString2"  
        android:layout_weight="2"  
        android:layout_gravity="center_vertical"  
        android:gravity="top|center" />  
  
</LinearLayout>
```




# LinearLayout gravity





# LinearLayout problem





# RelativeLayout

- ❖ Disposes views according to the container or according to other views
- ❖ The **gravity** attribute indicates what views are more important to define the layout
- ❖ Useful to align views



# RelativeLayout

```
<?xml version="1.0" encoding="utf-8"?>  
<RelativeLayout xmlns:android="http://schemas.android.com/apk/res/android"  
    android:layout_width="match_parent"    android:layout_height="match_parent" >  
  
<EditText  
    android:id="@+id/username"        android:text="username"  
    android:inputType="text"  
    android:layout_width="wrap_content"    android:layout_height="wrap_content"  
    android:layout_alignParentRight="true"  
    android:layout_toRightOf="@+id/usernameLabel" >  
  
</EditText>  
  
<TextView  
    android:id="@+id/usernameLabel"  
    android:layout_width="wrap_content"  
    android:layout_height="wrap_content"  
    android:layout_alignBaseline="@+id/username"  
    android:text="Username" />
```




# RelativeLayout

```
<EditText  
    android:id="@+id/password"    android:text="password"  
    android:inputType="textPassword"  
    android:layout_below="@+id/username"  
    android:layout_width="wrap_content"  
    android:layout_height="wrap_content"  
    android:layout_alignLeft="@+id/username"  
    android:layout_alignParentRight="true"  
    android:layout_toRightOf="@+id/usernameLabel" >  
</EditText>
```

```
<TextView  
    android:id="@+id/passwordLabel"  
    android:layout_width="wrap_content"  
    android:layout_height="wrap_content"  
    android:layout_alignBaseline="@+id/password"  
    android:text="Password" />  
</RelativeLayout>
```



# RelativeLayout





# TableLayout

- ❖ As the name say, similar to a Table
- ❖ Has some attributes to customize the layout:
  - ❖ android:layout\_column
  - ❖ android:layout\_span
  - ❖ android:stretchColumns
  - ❖ android:shrinkColumns
  - ❖ android:collapseColumns
- ❖ Each row is inside a <TableRow> element



# TableLayout

```
<?xml version="1.0" encoding="utf-8"?>  
<TableLayout android:layout_width="fill_parent"  
    android:layout_height="fill_parent" xmlns:android="http://schemas.android.com/apk/res/android"    android:id="@+id/tableLayout">  
  
<TableRow android:layout_width="wrap_content" android:layout_height="wrap_content" android:id="@+id/firstRow">  
    <Button    android:id="@+id/button1"  
        android:layout_width="wrap_content"  
        android:layout_height="wrap_content"  
        android:text="Button" />  
    <Button android:id="@+id/button2"  
        android:layout_width="match_parent"  
        android:layout_height="match_parent"  
        android:text="Button" />  
    <Button android:id="@+id/button3"  
        android:layout_width="match_parent"  
        android:layout_height="match_parent"  
        android:text="Button" />  
</TableRow>
```




# TableLayout

```
<TableRow  
        android:layout_width="wrap_content"  
        android:layout_height="wrap_content"  
        android:id="@+id/secondRow">  
  
<Button android:layout_column="1"  
        android:layout_span="2"  
        android:id="@+id/button4"  
        android:layout_width="wrap_content"  
        android:layout_height="wrap_content"  
        android:text="Button">  
    </Button>  
</TableRow>  
  
</TableLayout>
```



# TableLayout





# FrameLayout and AbsoluteLayout

- ❖ FrameLayout
  - ❖ Adds an attribute, **android:visibility**
  - ❖ Makes the user able to define layouts managing the visibility of views
- ❖ AbsoluteLayout
  - ❖ Deprecated
  - ❖ Specify position with **x** and **y**
  - ❖ Pay attention to different resolutions



# Adapters

- ❖ Used to visualize data
- ❖ Make a ViewGroup to interact with data
- ❖ Some methods:
  - ❖ isEmpty()
  - ❖ getItem(int position)
  - ❖ getCount()
  - ❖ getView()



# AdapterView

- ❖ A ViewGroup subclass
- ❖ Its subchilds are determined by an Adapter
- ❖ Some subclasses:
  - ❖ ListView
  - ❖ GridView
  - ❖ Spinner
  - ❖ Gallery




# ListView example

```
public class HelloAndroidActivity extends Activity {  
  
    @Override  
    public void onCreate(Bundle savedInstanceState) {  
        super.onCreate(savedInstanceState);  
        setContentView(R.layout.list);  
  
        String[] data = {"First", "Second", "Third"};  
        ListView lv = (ListView)findViewById(R.id.list);  
        lv.setAdapter(new ArrayAdapter<String>(this, android.R.layout.simple_list_item_1, data));  
    }  
}  
  
<?xml version="1.0" encoding="utf-8"?>  
<ListView xmlns:android="http://schemas.android.com/apk/res/android"  
    android:layout_width="match_parent"    android:layout_height="match_parent"  
    android:orientation="vertical"  
    android:id="@+id/list" />
```



# ListView





# Other views/adapters

- ❖ Spinner, selection of multiple items
- ❖ Gallery, images
- ❖ ExpandableListView, list with hidden values
- ❖ TabWidget, tabbed layouts